



300Mbps Wi-Fi Range Extender TL-WA855RE

Highlights

- AP Mode Support Creates a new Wi-Fi access point

• Functional Web UI – Easily block unwanted users, set up a Power On/Off schedule, control the LED On/Off, etc

your mobile devices remotely

Description

The TP-LINK 300Mbps Wi-Fi Range Extender connects to your router wirelessly, strengthening and expanding its signal into areas it can't reach on its own. Featuring 2 external antennas with MIMO technology, the TL-WA855RE boosts speeds and increases efficiency throughout the network.

Expanded Wi-Fi coverage – Delivers fast and reliable wired and wireless connectivity

External Antennas – For better Wi-Fi coverage and more reliable connections

• Wi-Fi Coverage Control – Regulates the Wi-Fi coverage as desired

• TP-LINK Tether App Support – Tether app allows easy access and management with

Features



Speed

- N300 Wi-Fi Speeds– Provides fast Wi-Fi access up to 300Mbps.
- Fast Ethernet Port Acts as a wireless adapter to connect wired devices.



Reliability

- Reliable Connection Two external antennas with MIMO technology for better Wi-Fi coverage and reliable wireless connections.
- Universal Compatibility Works with any Wi-Fi router.



Ease of Use

- Easy Two Touch Setup Press the WPS button on your router and the Range Extender button on the TL-WA855RE within 2 minutes to easily expand wireless coverage.
- Intelligent Signal Indicator Intelligent signal lights help to find the best location for optimal Wi-Fi coverage by showing the signal strength.
- Compact Design For easy and flexible deployment.

Boost Wi-Fi Coverage

TL-WA855RE boosts your existing Wi-Fi range & delivers faster wireless speed in hard-to-reach area, providing reliable connections for laptops, smartphones, tablets and other wireless-enabled devices.



Ease of Use

Expanding your network should be easy. You can get set up in seconds with its RE button. And the Intelligent Signal Indicator LED provides a simple, color-coded indication of whether your range extender is too close to or too far from the main router.

to get set up in seconds



Specifications

Hardware

- Standards and Protocols: IEEE 802.11n, IEEE 802.11g, IEEE 802.11b
- Interface: 1*10/100 Ethernet Port(RJ45)
- Plug Type: EU, UK, US
- Button: RE (Range Extender) Button, Reset Button
- Dimensions (W X D X H): 2.0 x 1.3 x 2.6 in. (52 x 34 x 65mm)
- Antenna: 2*external
- Power Consumption: About 3W

Wireless

- Frequency: 2.4~2.4835GHz
- Reception Sensitivity: 2.4GHz:



- Transmit Power: <20 dBm (EIRP)
- Wireless Modes: Range Extender, AP Mode
- Wireless Security: WPA-PSK/WPA2-PSK, 64/128-bit WEP

Signal Rate: 11n: Up to 300Mbps (dynamic)

11g: Up to 54Mbps (dynamic)

11b: Up to 11Mbps (dynamic)

270M: -68dBm@10% PER 130M: -68dBm@10% PER 108M: -68dBm@10% PER 54M: -68dBm@10% PER 11M: -68dBm@8% PER 6M: -68dBm@10% PER 1M: -68dBm@8% PER

Specifications

Others

Package Contents

- 300Mbps Wi-Fi Range Extender TL-WA855RE
- RJ-45 Ethernet Cable
- · Quick Installation Guide

Certification

• CE, FCC, RoHS

System Requirements

• Microsoft[®] Windows[®] 98SE, NT, 2000, XP, Vista or Windows 7, 8, 8.1, 10, Mac[®] OS, NetWare[®], UNIX[®] or Linux

Environment

- · Operating Temperature: $0^{\circ}C \sim 40^{\circ}C$ (32 $^{\circ}F \sim 104^{\circ}F$)
- Storage Temperature: -40 $^\circ$ C ~70 $^\circ$ C (-40 $^\circ$ F ~158 $^\circ$ F)
- · Operating Humidity: 10%~90% non-condensing
- Storage Humidity: 5%~90% non-condensing



• AC750 Wi-Fi Range Extender **RE210**

Similar Products

• 300Mbps Wi-Fi Range Extender with AC Passthrough TL-WA860RE